



WALLETTO

Technical integration with Google Pay™

Table of contents

1. General information	3
2. Integration with Google Pay through Walletto payment page	3
3. Server-to-server integration (for TPP)	4
4. Recurring payments	5
5. Payments with 3-D Secure for Google Pay™	5
6. Additional	6

1. General information

Google Pay™ is an easy, fast, and, that most important, secure way to pay for your purchases in online-stores and apps. When paying through the Google Pay service, the card number is not transmitted; instead, the generated virtual account number (DPAN) is used.

Before starting the integration, you need to familiarize yourself with two general documents provided by Google itself for customers who want to use their services:

- [Terms of Service](#)
- [Acceptable Use Policy](#)

2. Integration with Google Pay through Walleto payment page

If you use the Walleto payment page, then additional registration in Google services is not required, just leave a [request](#) to connect Google Pay on our website.

When you use the Walleto payment page, the device will be automatically checked the possibility of paying through the Google Pay service. The button “Pay with Google Pay” will be displayed, if the client's device or browser supports this feature.




3. Server-to-server integration (for TPP)

With such an integration, you will need to register with the Google Pay™ service.

If you are considering not transferring the token, and decrypting it yourself using the tools of your services, then you will need to transfer the decrypted data in the API request in the secure3d parameter.

Required fields

Name	Description
secure3d	Authentication data for 3-D Secure (*)
*.dsrp	DSRP payment attribute
*.xis	PaRes Transaction ID (XID)
*.cavv	CAVV from PaRes
*.eci	ECl attribute
dsrp_type	Type of the DSRP payment system. Available types: masterpass, apple_pay, android_pay, samsung_pay



4. Recurring payments

The method is described in the main API documentation

([Integration_Reference.pdf](#)) in article: Actions -> Working with orders ->

Repeating payment (POST orders /: id / rebill)

5. Payments with 3-D Secure for Google Pay™

Google Pay uses 2 types of cards:

- **CRYPTOGRAM_3DS** - cards that are stored as tokens on a specific user's device. The token stores the virtual card number and expiration date, so such cards do not participate in 3-D Secure verification.
- **PAN_ONLY** - cards available on any user's devices. The token stores the data of the physical card: number and expiration date, so 3-D Secure authentication is required for this type of cards.

The procedure for 3-D Secure authentication does not differ from the standard and described in API documentation ([Integration_Reference.pdf](#)) in

the Actions -> Working with orders -> Authorize (Publish / Orders / Authorize) section.

6. Additional

Brand guidelines –

<https://developers.google.com/pay/api/android/guides/brand-guidelines>

Terms of Service –

<https://payments.developers.google.com/terms/sellertos>

Acceptable Use Policy –

<https://payments.developers.google.com/terms/aup>